

## SAFETY DATA SHEET

1. Identification

Product identifier Graphite Electrode - All Grades

Recommended use For Industrial Use Only

Electric furnace steel production.

Recommended restrictions None Known.

Manufacturer/Supplier information

FRC Global Company name:

Address: 1000 N. West St.

> Suite 1200 #3008 Wilmington, DE 19801

Product Support/Technical Services

Phone: (514) 931-5711

Website www.FRCglobal.com

Emergency telephone number: Corporate Office: (514) 931-5711

Technical Services: (514) 931-5711

Contact E-Mail: LadleDr@FRCglobal.com

2. Hazard(s) identification

Classified Hazards The item is defined as an article per OSHA (29 CFR

> 1910.1200) and is therefore exempt from labeling. A Safety Data Sheet is available. This item is not hazardous per OSHA 29 CFR 1910.1200(c). However, individual customer processes (such as grinding, sawing, or blasting) may result in the formation of dust that may present health hazards. May cause respiratory irritation, lung injury, or cancer by inhalation. Limit skin contact. Wash hands after handling. Dispose of waste and residues in accordance with local authority requirements. Wear protective

gloves/protective clothing/eye protection.

Physical hazards None classified Heath hazards None classified. Environmental hazards None classified.

Label Elements

Hazard Symbol None. Signal Word None.

**Hazard Statement** This substance does not meet the criteria for classification.

**Precautionary statements** 

Prevention Observe good industrial hygiene practices.

Wash hands after handling. Response

Store away from incompatible materials. Storage

Dispose of waste and residues in accordance with local Disposal

authority requirements.

MATERIAL NAME: GRAPHITE ELECTRODES - ALL GRADES

COUNTRY SPECIFIC: CANADA

## Hazard(s) not otherwise Classified (HNOC)

None Known.

**Supplemental information** None.

# 3. Composition/information on ingredients

Chemical Name	Common Name/Synonyms	CAS Number	%
Carbon Graphite		7782-42-5	>99

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

## 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or

persist.

**Skin contact** Wash off with soap and water. Get medical attention if

irritation develops and persists.

**Eye contact** Rinse with water. Get medical attention if irritation

develops and persists.

**Ingestion** Rinse mouth. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Direct contact with the eyes may cause temporary

irritation. Coughing.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep the victim under observation.

Symptoms may be delayed.

**General information** If concerned: Get medical advice. Ensure that medical

personnel are aware of the material(s) involved and take

precautions to protect themselves.

## 5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon Dioxide

(CO<sub>2</sub>)

Unsuitable extinguishing media

Do not use a water jet as an extinguisher, it could spread

the fire.

Specific hazards arising from the chemical

During a fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective

clothing must be worn in case of fire.

#### 6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures

Keep unnecessary personnel away. For personal

protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

MATERIAL NAME: GRAPHITE ELECTRODES – ALL GRADES

COUNTRY SPECIFIC: CANADA

The product is immiscible with water and will sediment in water systems. Stop the flow of material if this is without risk. Following product recovery, flush the area with water.

For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses, or onto the around.

## 7. Handling and storage

Precautions for safe handling Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in the original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

Occupational exposure limits

#### **US ACGIH Threshold Limit Values**

Components	Туре	Value	Form
Carbon Graphite	TWA	2 mg/m3	Respirable fraction
(CAS 7782-42-5)			

#### Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Type	Value	Form
Carbon Graphite	TWA	2 mg/m3	Respirable
(CAS 7782-42-5)			

#### Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health & Safety Regulation 296/97, as amended)

	<u> </u>			
Components	Type	Value	Form	
Carbon Graphite	TWA	2 mg/m3	Respirable	
(CAS 7782-42-5)				

### Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety & Health Act)

Components	Туре	Value	Form
Carbon Graphite	TWA	2 mg/m3	Respirable fraction
(CAS 7782-42-5)			

#### Canada. Ontario OELs (Control of Exposure to Biological or Chemical Agents)

Components	Туре	Value	Form
Carbon Graphite	TWA	2 mg/m3	Respirable fraction
(CAS 7782-42-5)			

#### Canada. Quebec OELs (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

Components	Type	Value	Form
Carbon Graphite	TWA	2 mg/m3	Respirable dust
(CAS 7782-42-5)			

MATERIAL NAME: GRAPHITE ELECTRODES – ALL GRADES

COUNTRY SPECIFIC: CANADA

Biological limit values No biological exposure limits were noted for the

ingredient(s).

**Exposure guidelines**The resin binder in this product was specifically

engineered to have low toxicity, with minimal free-phenol (less than 100ppm in this refractory product) and no free-

formaldehyde. Under certain conditions, thermal decomposition products may still include carbon monoxide, carbon dioxide, formaldehyde, phenol, and

aromatic and/or aliphatic compounds.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

**Eye/face protection** If contact is likely, safety glasses with side shields are

recommended.

Skin protection

**Hand protection** Wear appropriate protective gloves.

**Respiratory protection** Use a NIOSH/MSHA-approved respirator if there is a risk of

exposure to dust/fume at levels exceeding the exposure

limits.

Thermal hazards Wear appropriate thermal protective clothing, when

necessary

**General Hygiene Considerations** 

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

Appearance

Physical stateSolid.FormSolid.ColorBlack.

Odor Not available.
Odor threshold Not available.
pH Not available.

Melting point/freezing point < 2760°C/Not applicable.

Initial boiling point and boiling range

Not available.

Flash point

Evaporation rate

Flammability (solid, gas)

Upper/lower flammability or explosive limits

MATERIAL NAME: GRAPHITE ELECTRODES - ALL GRADES

COUNTRY SPECIFIC: CANADA

Flammability limit - lower (%)

Not available.

Flammability limit - upper (%)

Not available.

Explosive limit - lower (%)

Not available.

Explosive limit - upper (%)

Not available.

Vapor pressure Not available. Vapor density Not available. **Bulk density** sand products Not available.

Solubility(ies)

Solubility (water) Insoluble in water.

Partition coefficient (n-octanol/water)

Not available.

Not available. Auto-ignition temperature Not available. Decomposition temperature Viscosity Not available.

## 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal

conditions of use, storage, and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous reactions

No dangerous reaction is known under conditions of

normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Chlorine. Hazardous decomposition products

No hazardous decomposition products are known.

# 11. Toxicological information

Information on likely routes of exposure

Inhalation No long-term effect on the respiratory system is expected.

Skin contact No adverse effects due to skin contact are expected. Direct contact with the eyes may cause temporary Eye contact

irritation.

Expected to be a low ingestion hazard. Ingestion

Symptoms related to the physical, chemical, and toxicological characteristics:

Direct contact with the eyes may cause temporary

irritation.

## Information on toxicological effects

Acute toxicity

Components	Species	Test Results
Carbon Graphite		
(CAS 7782-42-5)		
Oral: LD50	Rat	> 10000 mg/kg

MATERIAL NAME: GRAPHITE ELECTRODES – ALL GRADES

COUNTRY SPECIFIC: CANADA

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation. Serious eye damage/eye irritation

Direct contact with the eyes may cause temporary

Respiratory or skin sensitization Respiratory sensitization

Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

No data is available to indicate product, or any Germ cell mutagenicity

components present at greater than 0.1% are mutagenic or

genotoxic.

This product is not expected to cause reproductive or Reproductive toxicity

developmental effects.

Specific target organ toxicity - single exposure

Not classified.

Specific target organ toxicity - repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous.

Persistence and degradability

No data is available on the degradability of this product.

Bio-accumulative potential No data available.

Mobility in soil

The product is insoluble in water.

Other adverse effects No other adverse environmental effects (e.g. ozone

depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are

expected from this component.

# 13. Disposal considerations

Disposal instructions Collect and reclaim or dispose of in sealed containers at a

licensed waste disposal site.

**Local Disposal Regulations** 

Hazardous waste code

Dispose of in accordance with all applicable regulations. The waste code should be assigned in discussion between

the user, the producer, and the waste disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe

manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue.

> follow label warnings even after the container is emptied. Empty containers should be taken to an approved waste

handling site for recycling or disposal.

## 14. Transport information DOT

Not regulated as dangerous goods.

MATERIAL NAME: GRAPHITE ELECTRODES - ALL GRADES

DATE: FEBRUARY 2018

COUNTRY SPECIFIC: CANADA

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

**Bulk Transport** Not applicable.

# 15. Regulatory information

Canadian regulations

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases Not listed. Precursor Control Regulations Not regulated. International regulations Stockholm Convention

Not applicable.

Rotterdam Convention Not applicable. Kyoto Protocol Not applicable. Montreal protocol Not applicable. **Basel Convention** Not applicable.

## 16. Other information, including date of preparation or last revision

This information is supplied to be informative and to alert the user of the material. The ultimate compliance with federal, state, and/or local regulations concerning the use of this material, or compliance with respect to product liability, rests solely upon the purchaser thereof.

Reasons for Revision: Converted MSDS to SDS.

Prepared by: FRC Global Date: February 2018

DISCLAIMER: Reasonable care has been taken in the preparation of the information provided and believed to be correct as of the issue date. However, FRC Global makes no representation or warranties and assumes no responsibility as to the completeness and accuracy thereof Users must make their own determination as to the suitability of the product for their purpose before use. FRC Global will not be responsible for any damages of any nature directly or indirectly whatsoever resulting from the use of, reliance upon, or misuse of the information contained herein.

**End of Safety Data Sheet** 

MATERIAL NAME: GRAPHITE ELECTRODES - ALL GRADES

COUNTRY SPECIFIC: CANADA